


Application No. 10/091,373
 Amendment dated September 24, 2004
 Reply to Office Action of March 24, 2004

Atty Dkt No. ARC920010125US1

LISTING OF THE CLAIMS

1. (Currently amended) A copolymer prepared by copolymerization of:
 _____ a first monomer having the structure of formula (I)

(I)



wherein


R^1 is H, F, CN, CH_3 , or C_{1-6} fluoroalkyl,

R^{2a} and R^{2b} are independently H or F, and

R^3 is CN or COOR, wherein R is selected from the group consisting of H, C_{1-12} alkyl and C_{1-12} fluoroalkyl, or is selected so as to render R^3 acid-cleavable; and

_____ a second monomer having the structure of formula (II)

(II)



wherein

R^4 is H, C_{1-12} alkyl, C_{3-15} alicyclic, or fluorinated C_{3-15} alicyclic,

R^5 is C_{1-12} alkyl, C_{1-12} alkyl substituted with 1-12 fluorine atoms and 0-2 hydroxyl groups, or C_{3-15} alicyclic, or R^4 and R^5 together form a five-, six-, or seven-membered ring,

R^6 is H, C_{1-12} alkyl, or C_{1-12} fluoroalkyl, or R^4 and R^6 together form a five-, six-, or seven-membered ring, and

R^7 is H, C_{1-12} alkyl, or C_{1-12} fluoroalkyl, or R^7 and R^5 together represent $-X-(CR^8R^9)_n-$, in which case R^4 and R^6 are H, X is O or CH_2 , n is 1 or 2, R^8 and R^9 are H, C_{1-12} alkyl, or C_{1-12} fluoroalkyl, or together form an oxo moiety ($=O$), with the proviso that when R^8 and R^9 together form $=O$, n is 1,

Application No. 10/091,373
Amendment dated September 24, 2004
Reply to Office Action of March 24, 2004

Atty Dkt No. ARC920010125US1

wherein any of R^1 , R^3 , R^4 , R^5 , R^6 , and R^7 may be further substituted with an inert, nonhydrogen substituent, and further wherein at least one of the first monomer and the second monomer contains one or more fluorine atoms.

2. (Previously amended) The copolymer of Claim 29, wherein R^1 is CF_3 .
3. (Original) The copolymer of Claim 2, wherein R^3 is COOR.
4. (Original) The copolymer of Claim 2, wherein R^3 is CN.
5. (Original) The copolymer of Claim 1, wherein R^1 and R^2 are F and R^3 is COOR.
6. (Original) The copolymer of Claim 1, wherein R^1 is CN and R^2 is H.
7. (Original) The copolymer of Claim 3, wherein R is C_{1-12} alkyl.
8. (Original) The copolymer of Claim 5, wherein R is C_{1-12} alkyl.
9. (Original) The copolymer of Claim 3, wherein R is selected to render R^3 acid-cleavable.
10. (Original) The copolymer of Claim 5, wherein R is selected to render R^3 acid-cleavable.
11. (Original) The copolymer of Claim 10, wherein R is a tertiary alkyl substituent.
12. (Original) The copolymer of Claim 11, wherein R is *t*-butyl.
13. (Original) The copolymer of Claim 11, wherein R is a C_3 - C_{12} cyclic or alicyclic substituent with a tertiary attachment point.

Application No. 10/091,373


Atty Dkt No. ARC920010125US1

Amendment dated September 24, 2004

Reply to Office Action of March 24, 2004

14. (Previously amended) The copolymer of Claim 13, wherein R is selected from the group consisting of 2-methyl-2-adamantyl, 2-methyl-2-isobornyl, 2-methyl-2-tetracyclododecenyl, 2-methyl-2-dihydrodicyclopentadecyl-cyclohexyl, 1-methylcyclopentyl, and 1-methylcyclohexyl.

15. (Previously amended) The copolymer of Claim 1, wherein the second monomer has the structure of formula (III)






wherein:

R⁴ is H, C₁₋₁₂ alkyl, C₃₋₁₅ alicyclic, or fluorinated C₃₋₁₅ alicyclic; and

R⁵ is C₁₋₁₂ alkyl, C₁₋₁₂ alkyl substituted with 1-12 fluorine atoms and 0-2 hydroxyl groups, or C₃₋₁₅ alicyclic.

16. (Previously amended) The copolymer of Claim 1, wherein the second monomer has a structure selected from the group consisting of (IV), (V), and (VI)



Application No. 10/091,373
Amendment dated September 24, 2004
Reply to Office Action of March 24, 2004

Atty Dkt No. ARC920010125US1

wherein:

- R⁶ is H, C₁₋₁₂ alkyl, or C₁₋₁₂ fluoroalkyl;
- R⁷ is H, C₁₋₁₂ alkyl, or C₁₋₁₂ fluoroalkyl;
- X is O or CH₂;
- m is an integer between 1 and 3; and
- R⁸ and R⁹ are H, C₁₋₁₂ alkyl, or C₁₋₁₂ fluoroalkyl.

17. (Original) The copolymer of Claim 1, wherein the copolymer is substantially transparent to radiation having a wavelength of less than about 250 nm.

18. (Original) The copolymer of Claim 17, wherein the copolymer is substantially transparent to radiation having a wavelength of less than about 193 nm.

19. (Original) The copolymer of Claim 18, wherein the copolymer is substantially transparent to radiation having a wavelength of 157 nm.

20. (Original) The copolymer of Claim 1, further comprising at least one additional monomer having a structure that is different than the first and second monomers.

21. (Original) A lithographic photoresist composition comprising the copolymer of Claim 1 and a radiation-sensitive acid generator.

22. (Original) The lithographic photoresist composition of Claim 18, further comprising a second polymer.


23. (Previously amended) A process for generating a resist image on a substrate, comprising the steps of:

(a) coating a substrate with a film of a photoresist comprised of a radiation-sensitive acid generator and a copolymer synthesized from a first monomer having the structure of formula (I)

Application No. 10/091,373
 Amendment dated September 24, 2004
 Reply to Office Action of March 24, 2004

Att. Dkt No. ARC920010125US1

(I)



wherein


R^1 is H, F, CN, CH_3 , or C_{1-6} fluoroalkyl,

R^{2a} and R^{2b} are independently H or F, and

R^3 is CN or COOR, wherein R is selected from the group consisting of H, C_{1-12} alkyl and C_{1-12} fluoroalkyl, or is selected so as to render R^3 acid-cleavable, with the proviso that when R^3 is CN, then R^1 is CF_3 and R^{2a} and R^{2b} are H; and

a second monomer having the structure of formula (II)

(II)



wherein

R^4 is H, C_{1-12} alkyl, C_{3-15} alicyclic or fluorinated C_{3-15} alicyclic,

R^5 is C_{1-12} alkyl, C_{1-12} alkyl substituted with 1-12 fluorine atoms and 0-2 hydroxyl groups, or C_{3-15} alicyclic, or R^4 and R^5 together form a five-, six-, or seven-membered ring,

R^6 is H, C_{1-12} alkyl, or C_{1-12} fluoroalkyl, or R^4 and R^6 together form a five-, six-, or seven-membered ring,

R^7 is H, C_{1-12} alkyl, or C_{1-12} fluoroalkyl, or R^7 and R^5 together represent $-X-(CR^8R^9)_n-$, in which case R^4 and R^6 are H, X is O or CH_2 , n is 1 or 2, R^8 and R^9 are H, C_{1-12} alkyl, or C_{1-12} fluoroalkyl, or together form an oxo moiety ($=O$), with the proviso that when R^8 and R^9 together form $=O$, n is 1,

wherein any of R^1 , R^3 , R^4 , R^5 , R^6 , and R^7 may be further substituted with an inert nonhydrogen substituent;

(b) exposing the film selectively to a predetermined pattern of radiation so as to form a latent, patterned image in the film; and

(c) developing the latent image with a developer.

Application No. 10/091,373
 Amendment dated September 24, 2004
 Reply to Office Action of March 24, 2004

Atty Dkt No. ARC920010125US1

24. (Previously amended) In a lithographic photoresist composition comprised of a polymer transparent to deep ultraviolet radiation and a radiation-sensitive acid generator, the improvement comprising employing as the polymer a copolymer synthesized from a first monomer having the structure of formula (I)



wherein

R^1 is H, F, CN, CH_3 , or C_{1-6} fluoroalkyl,

R^{2a} and R^{2b} are independently H or F, and

R^3 is CN or COOR, wherein R is selected from the group consisting of H, C_{1-12} alkyl and C_{1-12} fluoroalkyl, or is selected so as to render R^3 acid-cleavable, with the proviso that when R^3 is CN, then R^1 is CF_3 and R^2 is H, and

a second monomer having the structure of formula (II)



wherein

R^4 is H, C_{1-12} alkyl, C_{3-15} alicyclic, or fluorinated C_{3-15} alicyclic,

R^5 is C_{1-12} alkyl, C_{1-12} alkyl substituted with 1-12 fluorine atoms and 0-2 hydroxyl groups, or C_{3-15} alicyclic, or R^4 and R^5 together form a five-, six-, or seven-membered ring,

R^6 is H, C_{1-12} alkyl, or C_{1-12} fluoroalkyl, or R^4 and R^6 together form a five-, six-, or seven-membered ring;

R^7 is H, C_{1-12} alkyl, or C_{1-12} fluoroalkyl, or R^7 and R^5 together represent $-\text{X}-$ $(\text{CR}^8\text{R}^9)_n-$, in which case R^4 and R^6 are H, X is O or CH_2 , n is 1 or 2, R^8 and R^9 are H,

Application No. 10/091,373
Amendment dated September 24, 2004
Reply to Office Action of March 24, 2004

Atty Dkt No. ARC920010125US1

C₁₋₁₂ alkyl, or C₁₋₁₂ fluoroalkyl, or together form an oxo moiety (=O), with the proviso that when R⁸ and R⁹ together form =O, n is 1,

wherein any of R¹, R³, R⁴, R⁵, R⁶, and R⁷ may be further substituted with an inert nonhydrogen substituent.

25. (Original) The lithographic photoresist composition of Claim 24, wherein the photoresist composition is a positive resist and further comprises a photoacid-cleavable monomeric or polymeric dissolution inhibitor.

26. (Original) The lithographic photoresist composition of Claim 24, wherein the photoresist composition is a negative resist and further comprises a crosslinking agent.

27. (Original) The lithographic photoresist composition of Claim 26, wherein the crosslinking agent is a glycoluril compound.

28. (Original) The lithographic photoresist composition of Claim 27, wherein the glycoluril compound is selected from the group consisting of tetramethoxymethyl glycoluril, methylpropyltetramethoxymethyl glycoluril, methylphenyltetramethoxymethyl glycoluril, and mixtures thereof.

29. (Previously added) The copolymer of claim 1, wherein R¹ is H, F, CN, CH₃, CF₃, CF₂H, or CFH₂.

30. (Previously added) The copolymer of claim 29, wherein at least one of R¹, R³, R⁴, R⁵, R⁶, or R⁷ is further substituted with an inert nonhydrogen substituent.

31. (Previously added) The copolymer of claim 30, wherein the inert nonhydrogen substituent is selected from the group consisting of F, C₁₋₁₂ alkyl, C₁₋₁₂ alkoxy, C₁₋₁₂ alkenyl, C₁₋₁₂ alkenyloxy, C₁₋₁₂ fluoroalkyl, C₁₋₁₂ fluoroalkoxy, and C₁₋₁₂ fluoroalkenyl.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.